

Nova
TRUCK CENTRES
TRAILERS

2018 Larochele

M-32 Tridem Axle End Dump

Stock #
T2204



SPECS

- 32 FOOT ULTRA STABLE SCISSOR DUMP
- ELECTRIC SWING MESH ARM MESH TARP SYSTEM
- AIR SUSPENSION

Get in touch with Bill Tait 902.698.3993 | btait@novatrucks.ca

2018 Larochele

LAROCHELLE

M-32 Scissor End Dump

Dimensions

- 32 foot ULTRA STABLE scissor dump
- 48" side height with front bulk head and tail gate 54" height
- Side board pockets for wood 6" side boards
- 34 Cubic Yard volume capacity
- Tare weight approximately 8,500 kg

Tires & Rims

- 22.5" x 8.25" steel painted white bud wheels
- 11R22.5 Kelly Armorsteel
- 16ply tires MSA model number

Brakes

- Q-Plus drum brakes

Coatings

- Totally sandblasted, 2 part epoxy primed with Urethane Grey top coat

Wheel Ends

- Ingersoll wide track axles
- Wall thickness 3/4"
- 25,000lb capacity each

Lighting & Wiring

- All LED Lights
- 12v electric over air operated tailgate release control
- Air load suspension gauge

ULTRA-STABLE® system

The Larochele semi-dump trailer allows dumping while on-the-go even in jack-knifed position. Its unmatched stability makes it the ideal dump trailer for spreading your aggregates, even with our tri-axle model



ULTRA-STABLE® main stabilizer

- Exclusive profile provides 50% more torsional resistance than any other 1/4 frame type semi-dump trailer
- Free hanging stabilizer protected from loading impacts (not used to support floor)



2018 Larochele



M-32 Scissor End Dump

Suspension

- Ridewell RAR 260 air suspension
- 60" & 60" axle spread

Understructure

- 2 speed landing gear
- Replaceable and greasable metal alloy bushings in all articulating joints
- Integrated front and rear fenders with mud flaps

Interior

- 3/16" 450 grade steel on floor and side walls

Exterior

- Electric swing arm mesh tarp system
- 2 compression bolt type secondary tailgate locks
- 2 Tail gate spreader chains

Other Features

- 50 Ton 5 section hoist cylinder
- Non tilt fifth wheel locking device required, NOT included

Ridewell RAR-260 Air-Ride suspension



"Optimum balance of price and performance."

Lift Kit

For improved tire life.



Rubber Bushing

Industry standard Tenneco multi-functional bushing.

Shear-Type Pivot Bolt

Simple to install, this strength fastener automatically applies the required clamping force – no torque wrench or re-torque required.




Securelok Pivot Nut

The Securelok helps maintain pivot clamping force. This unitized nut, washer and shim is highly resistance to loosening under vibration.

SpeedSet Axle Alignment System

This simple alignment feature is quick and easy. Axle alignment adjustment capability +/- .25" at hanger.



VIAIR Air Compressor Kit

This 12 volt air compressor kit comes in a variety of options.

GET IN TOUCH

Bill Tait
Trailer Sales Manager
902.698.3993
btait@novatrucks.ca